





## UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAME APPLICANT	ATTORNEY DOCKET NUMBER
10/006524	12/03/2001	Edward J. Dubovi	07907.105007

Fulbright & Jaworski, LLP 666 Fifth Ave New York, NY 10103-3198 Examiner: Mosher, Mary

Art Unit 1648 Paper Number

Date Mailed: May 6, 2004

## **Notice Regarding Drawings**

Corrected drawings for the above-identified application, received in the USPTO on April 1, 2002 still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

**RETURN CORRECTED DRAWINGS TO:** Commissioner for Patents

Alexandria, Virginia 22313-1450

P.O. Box 1450

## The United States Patent and Trademark Office has changed certain mailing addresses!

Effective May 1, 2003

Use the address provided in this flyer after May 1, 2003 for any correspondence with the United States Patent and Trademark Office (USPTO) in patent-related matters to organizations reporting to the Commissioner for Patents.

DO NOT USE the Washington DC 20231 and P.O. Box 2327 Arlington, VA 22202 addresses after May 1, 2003 for any correspondence with the USPTO even if these old addresses are indicated in the accompanying Office action or Notice or in any other action, notice, material, form, instruction or *other* information.

Correspondence in patent-related matters to organizations reporting to the Commissioner for Patents must now be addressed to:



Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450



Special Mail Stop designations to replace Special Box designations

Also effective May 1, 2003, the USPTO is changing the special Box designations for Patents and Trademarks to corresponding Mail Stop designations (e.g., "Box 4" will now be "Mail Stop 4").

For further information, see Correspondence with the United States Patent and Trademark Office, 68 Fed. Reg. 14332 (March 25, 2003). A copy of the Federal Register notice is available on the USPTO's web site at <a href="http://www.uspto.gov/web/menu/current.html#register">http://www.uspto.gov/web/menu/current.html#register</a>

A listing of specific USPTO mailing addresses (See Patents – specific) will be available on the USPTO's web site on April 15, 2003 at <a href="http://www.uspto.gov/main/contacts.htm">http://www.uspto.gov/main/contacts.htm</a>

Persons filing correspondence with the Office should check the rules of practice, the Official Gazette, or the Office's Internet Web site (www.uspto.gov) to determine the appropriate address and Mail Stop Designation (if applicable) for all correspondence being delivered to the USPTO via the United States Postal Service (USPS).

Questions regarding the content of this flyer should be directed to the Inventor Assistance Center at (703) 308-4357 or toll-free at 1-800-786-9199.

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

## NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (B I/2x 11 inches) All drawing sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top 2 for Left 2.5 cm Right 1.5 cm Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top 2 for Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top 2 for Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black surface shading shown not appropriate.  Is AMDINOS. 37 CFR 1.84(q) Lines, numbers as letters not uniformly thick are well defined, clean, durable, and black (poor liquility). Fig(s)  Solid black shading not permitted. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black stass pale. Fig(s) Solid black shading not permitted. Fig(s)  Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Lines, numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p(3). Fig(s)  Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p(3). Fig(s)  1.4 NUMBERINO OF VIEWS. 37 CFR 1.84(m) Solid black surface shading shown not appropriate.  Fig(s) Solid black surface shading is not permitted exwhen used to represent the color	1. DRAWINGS. 37 CFR 1.84(a): Acceptable	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Prawripes and the strong white, and durable. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sizes: Sheet(s) All drawing sheets not the same size. Sheet(s) Prawripgs sheets not an acceptable size. Fig(s) Fig 2, or Left 2.5 cm Right 1.5 cm Boytem 1 (1992) Fig 2, or Left 2.5 cm Right 1.5 cm Boytem 1 (1992) Fig 3 Fig 4 Size OF PAPER. 37 CFR 1.84(f): Acceptable margins: Top 2, or Left 2.5 cm Right 1.5 cm Boytem 1 (1992) Fig 5 ShARRINS. 37 CFR 1.84(f): Acceptable margins: Top 2, or Left 2.5 cm Right 1.5 cm Boytem 1 (1992) Fig 5 Sharring that the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Fig(s) Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Comment of the	categories of drawings: Black ink or	Words do not appear on a horizontal, left-to-rig
granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Lines, numbers & letters not uniformly thick an well defined, clean, durable, and black (poor liquality). Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Lines, numbers are directions on the part of the part o	Color (3 sets required).	fashion when page is either upright or turned so
Pencil and non black ink not permitted. Fig(s)  2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Prig(s) Prasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) All drawing sheets not the same size. Sheet(s) Prawings sheets not an acceptable size. Fig(s) All drawing sheets not the same size. Sheet(s) Prawings sheets not an acceptable size. Fig(s) All drawing sheets not an acceptable size. Fig(s) Fig varieties Fig (s) Fig varieties F	Color drawings are not acceptable until petition is	that the top becomes the right side, except for
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e). Photographs may not be mounted. 37 CFR 1.84(e). Photographs may not be mounted. 37 CFR 1.84(e). Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s)  Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s)  12. NUMBERN, ST 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) English alphabet not used. 37 CFR 1.84(p)  English alphabet not used. 37 CFR 1.84(p)  English alphabet not used. 37 CFR 1.84(p)  Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)  English Fig(s)  Numbers and reference characters must at e	granted. Fig(s)	graphs. Fig(s)
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e). Photographs may not be mounted. 37 CFR 1.84(e). Photographs may not be mounted. 37 CFR 1.84(e). Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s)  Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s)  12. NUMBERN, ST 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) English alphabet not used. 37 CFR 1.84(p)  English alphabet not used. 37 CFR 1.84(p)  English alphabet not used. 37 CFR 1.84(p)  Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)  English Fig(s)  Numbers and reference characters must at e	Pencil and non black ink not permitted. Fig(s)	9. SCALE. 37 CFR 1.84(k)
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) All grains not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. IC, etc., the specification, at the Brief Description of the Drawings must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Winders and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must at least 32 cm (1/8 inch in height. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(p)(2) Fig(s) Numbers be changed.  Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black saras pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers least and reference characters must at least 32 cm (1/8 inch) in height. 37	2. PHOTOGRAPHS. 37 CFR 1.84(b)	Scale not large enough to show mechanism
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Prawipgs sheets not an acceptable size. Fig(s) Top (7) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Whotographs must meet paper size requirements of 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Whotographs must meet paper size requirements of uniformly thick an well defined, clean, durable, and black (poor li quality). Fig(s)  11. SHADING. 37 CFR 1.84(n) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height 37 CFR 1.84(p) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height 37 CFR 1.84(p) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height 37 CFR 1.84(p) Numbers and reference characters must at least		without crowding when drawing is reduced in
37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom (B) 6. VIEWS. 37 CFR 1.84(g): Acceptable margins: Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  WHOSH SHARCINS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  WHOSH SHARCINS. 37 CFR 1.84(h)(3) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(p)(2) Fig(s) Numbers letters not uniformly thick an well defined, clean, durable, and black (poor liquality). Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers letters not uniformly thick an well defined, clean, durable, and black (poor liquality). Fig(s) Numbers letters not uniformly thick an well defined, clean, durable, and black (poor liquality). Fig(s) Numbers letters not uniformly thick an well defined, clean, durable, and black (poor liquality). Fig(s) Numbers letters not uniformly thick an well defined, clean, durable,	Photographs may not be mounted. 37 CFR 1.84(e)	size to two-thirds in reproduction.
Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Proprint Left (L) Right (R) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Paper not flexible, strong, white, and durable. Fig(s) Lines, numbers & letters not uniformly thick an well defined, clean, durable, and black (poor li quality). Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black sareas pale. Fig(s) Solid black shading not permitted. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Sheets not numbered consecutively, and in Aran numerals, beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Aran numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted exceptable and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Sheets not numbered consecutively, and in Aran numerals, beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Aran numerals, beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Aran numerals, beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Aran numerals, beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Aran numerals, beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Aran nu	Photographs must meet paper size requirements of	
3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARSINS. 37 CFR 1.84(g): Acceptable margins: Top 22 cm Left 2.5 cm Right 1.5 cm Bottom (B) All drawing sheets not an acceptable margins: Top 27 cm Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS:  Williams numbers deters not uniformly thick an well defined, clean, durable, and black (poor liquality). Fig(s) Solid black shadined, clean, durable, and black (poor liquality). Fig(s) Solid black shadined, clean, durable, and black (poor liquality). Fig(s) Solid black shadined, clean, durable, and black (poor liquality). Fig(s) Solid black shadined, clean, durable, and black (poor liquality). Fig(s) Solid black shadined, clean, durable, and black (poor liquality). Fig(s) Solid black shadined, clean, durable, and black (poor liquality). Fig(s) Solid black shadined, can, durable, and black (poor liquality). Fig(s) Solid black shadined, can, durable, and black (poor liquality). Fig(s) Solid black shadined, can, durable, and black (poor liquality). Fig(s) Solid black shadined, can, durable, and black (poor liquality). Fig(s) Solid black shadined, can, durable, and black (poor liquality). Fig(s) Solid black shadined, can, durable and legible. Fig(s) Solid black shadined, can, durable and legible. Fig(s) Numbers and re	37 CFR 1.84(f). Fig(s)	
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 22 cm Left 2.5 cm Right 1.5 cm Bottom (B) 6. VIEWS. 37 CFR 1.84(g) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Well defined, clean, durable, and black (poor liquality) Fig(s)  1. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale		
Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  S. MARKINS. 37 CFR 1.84(g): Acceptable margins: Typ 2.5 cm Right 1.5 cm Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Fig. B. Warman OWACUA Way was a large of the fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(p) Solid black snading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters mot reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters mot reference characters mot reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)		
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted.  Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or  21.6 cm by 27.9 cm (8 I/2x 11 inches)  All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom Information and caceptable. Fig(s)  Margins not acceptable. Fig(s)  Top (T)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  EMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Fig. Magand OWSCUCO A Word of Contrast. Fig(s)  11. SHADING. 37 CFR 1.84(m)  Solid black areas pale. Fig(s)  Solid black areas pale. Fig(s)  Solid black areas pale. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p)  Numbers and reference characters not plain and legible. Fig(s)  Figure legends are poor. Fig(s)  Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, Letters. 37 CFR 1.84(p)  Fig(s)  Lead lines missing. Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u)  Views not labeled separately or properly.  Fig(s)  Solid black surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	Paper not flexible, strong, white, and durable.	••
Solid black areas pale. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 em (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Sharkfills. 37 CFR 1.84(g): Acceptable margins: Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s)  12. NUMBERS. LETTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(q) Views not numbered consecutively, and in Aran numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(q) Views not numbered consecutively, and in Aran numbers beginning with number 1. Fig(s)  Solid black surface shading is not permitted exceptable margins:  CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  18. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  19. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(q) Views not numbered consecutively, and in A		quality). Fig(s)
Solid black shading not permitted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or  21.6 cm by 27.9 cm (8 1/2x 11 inches)		
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom (B)  All drawing sheets not an acceptable size. Fig(s)  Top (T) Left (L)  Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  OMMENTS:  Tig Warms of OMMENTS:  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p)  Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2)  Figure legends are poor. Fig(s)  Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numerals, beginning with number 1. Fig(s)  Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)		
Sizes:  21.0 cm by 29.7 cm (DIN size A4) or  21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom II. on Airgins not acceptable. Fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(p)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  OMMENTS:  All drawing sheets not an acceptable size. Fig(s)  Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numbers beginning with number 1. Sheet(s).  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  OMMENTS:  Fig (s)  Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s)		
21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARCINS. 37 CFR 1.84(g): Acceptable margins: Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom II. Composition of the Correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  - Wimbers and reference characters not plain and legible. Fig(s)  Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2)  Figure legends are poor. Fig(s) Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Figure legends are poor. Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Figure legends are poor. Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s) Numbers and reference characters not priented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s) Section 1.84(p)(2) Fig(s) Shelf legible. Fig(s) Numbers and refere		
21.6 cm by 27.9 cm (8 1/2x 11 inches)     All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom Information at acceptable. Fig(s)  Top (T)		
All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom  Margins not acceptable. Fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  OMMENTS:  Arabic or Roman numbers.  Figure legends are poor. Fig(s)  Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numerals, beginning with number 1. Fig(s)  Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)		
Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom II. Omy Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Sheets not numbered consecutively, and in Arat numbers beginning with number 1. Fig(s)  Solid black surface shading is not permitted exception of the color black as well a color contrast. Fig(s)  OMMENTS:  Wumbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  1.84(p		
the same direction as the view. 37 CFR 1.84(p):  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm.  Margins not acceptable. Fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  OMMENTS:  Drawings the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  1. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  1. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u)  Sheets not numbered consecutively, and in Aral numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numerals, beginning with number 1. Fig(s)  Solid black surface shading is not permitted exception of the properties of the propert		
Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bettom 1.0 cm		
English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Top (T)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  1.84(p)(3). Fig(s)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t)  Sheets not numbered consecutively, and in Aral numerals, beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Aral numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)		
Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  OMMENTS:  Fig(s)  Fig(s)  Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  1.84(p)(3). Fig(s)  1.84(p)(3). Fig(s)  1.LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numerals, beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Aral numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s)		
Top (T) Left (L) Right (R) Bottom (B) At least 32 cm (1/8 inch) in height. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s) Solid black surface shading is not permitted except and the properties of the properties at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) 1.84(p)(3). Fig(s) Solid lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic or Roman numbers. Fig(s) Solid black surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s) Solid black surface shading is not permitted except shading shown and appropriate. Fig(s) Solid black surface shading is not permitted except shading shown shading shading shown shading shading shown shading shading shown shading shad	1 op 2.7 cm Left 2.3 cm Right 1.5 cm Boltom 1.0 cm	
Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  OMMENTS:  Fig Lagrada ODECUTED at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)  1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s)		Numbers letters and reference characters must
6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  OMMENTS:  - Fig. Washed Obscilled by the color black as well a color contrast. Fig(s)  OMMENTS:  - Fig. Washed Obscilled by the color black as well a color contrast. Fig(s)  OMMENTS:  - Fig. Washed Obscilled by the color black as well a color contrast. Fig(s)		
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception of the Drawings, must likewise be changed.  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Drawings, must likewise be changed.  Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Drawings, must likewise be changed.  Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Drawings, must likewise be changed.  Lead lines missing. Fig(s)  Lead lines missing. Fig(s)		
Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS  37 CFR 1.84(t)  Sheets not numbered consecutively, and in Aral numbers beginning with number 1. Sheet(s)  NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception of the Drawings, and in Aral numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Drawings, and in Aral numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Drawings, and in Aral numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Drawings, and in Aral numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exception of the Drawings, and in Aral numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  OMMENTS:		
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  OMMENTS:  Comparison of the Drawings, must likewise be changed.  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s)		
specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  OMMENTS:  Fig lagered obscured by properly.  Sheets not numbered consecutively, and in Aral numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Aral numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well a color contrast. Fig(s)		
must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excepted when used to represent the color black as well a color contrast. Fig(s)  OMMENTS:  When used to represent the color black as well a color contrast. Fig(s)		
Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excepted when used to represent the color black as well a color contrast. Fig(s)  OMMENTS:  Fig(s)  OMMENTS:  Fig(s)  OMMENTS:  Fig(s)  OMMENTS:  Fig(s)  OMMENTS:		
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  The sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate. Fig(s)  Solid black surface shading is not permitted excepted by the section of the sec		
Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excepted to represent the color black as well a color contrast. Fig(s)  OMMENTS:  Fig legends obscured by photographs about the color black as well a color contrast.	7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)	Views not numbered consecutively, and in Arab
Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted exceed when used to represent the color black as well a color contrast. Fig(s)  OMMENTS: — Fig. Legends obscured by photographe dogs.		numerals, beginning with number 1. Fig(s)
Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excepted to represent the color black as well a color contrast. Fig(s)  OMMENTS:  Fig legends obscured by photographe dispersions.		16. DESIGN DRAWINGS. 37 CFR 1.152
Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	Addie of Rollan humbers. 1 ig(s)	Surface shading shown not appropriate.
when used to represent the color black as well a color contrast. Fig(s)  OMMENTS: - Fig legends obscured by photographo about		
omments: - Fig legends obscured by photographo dbgr		Solid black surface shading is not permitted exc
OMMENTS: - Fig legends obscured by photographo obje		when used to represent the color black as well a
		color contrast. Fig(s)
	OMMENTS: Fig loggerty about 10	Dr. distrayanto aloir
(FB HA-6D); see to 6A-6F for better example	The sound of the sound	
1 20 1) 12 10 12 (#) 11 1	(TD HA-60): 680,	FOR GA -/ E for bother example
		17 C1 ( 10 12 ( p) 301 p